Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
S12 8	4	(allen-loretta-e.in. bryant-robert-c.in. simpson-william-h.in. patton-david-l.in. frosig-peter-a. in.) and @pd>"20051024"	US-PGPUB ; USPAT; USOCR; EPO; JPO	OR	OFF	2005/12/13 09:36
S12 9	1	overlay\$3 near5 (barcode (bar adj code)) and @pd>"20051024"	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13 09:42
S13 0	0	overlay\$3 near5 (barcode (bar adj code)) and @pd>"20051024"	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:43
S13 1	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20051024"	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13 09:44
S13 2	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) near5 (read\$3 scan\$4) and @pd>"20051024"	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13 09:44
S13 3	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20051024"	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:44
S13 4	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) near5 (read\$3 scan\$4) and @pd>"20051024"	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:45
S13 5	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20051024"	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13 09:45

S13 6	0	(duplicat\$3 identical\$2) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20051024"	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:46
S13 7	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) same (read\$3 scan\$4) and @pd>"20051024"	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13 09:46
S13 8	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) same (read\$3 scan\$4) and @pd>"20051024"	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:47
S13 9	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20051024"	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13 09:47
S14 0	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20051024"	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13 09:47
S14 1	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (overlay\$3 superpos\$3 superimpos\$3 register) and @pd>"20051024"	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:47
S14 2	0	(redundant) near5 (barcode\$1 dataform\$1 ((bar optical readable) adj1 (code\$1 indicia))) near5 (above ((over on) adj top)) and @pd>"20051024"	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:48
S14 3	0	(duplicat\$3 identical\$2 redundant) near5 (barcode\$1 (bar adj1 code\$1)) near5 (print\$3 form\$3) and @pd>"20051024"	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13 09:48

S14 4	0	(duplicat\$3 identical\$2 redundant) near5 (barcode\$1 (bar adj1 code\$1)) near5 (print\$3 form\$3) and @pd>"20051024"	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:48
S14 5	0	(duplicat\$3 identical\$2) near5 (code\$1 indicia) near5 (overlay\$3 superpos\$3 superimpos\$3 register) near5 (clear transparent translucent (see adj through)) and @pd>"20051024"	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13 09:49
S14 6	58	(400/120.02.ccls. 347/212.ccls. 283/91.ccls. 283/74.ccls. 235/462.01.ccls. 235/468.ccls. 235/494.ccls.) and @pd>"20051024"	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13 14:38
S14 7	5	235/491.ccls. and @pd>"20051024"	US-PGPUB ; USPAT; USOCR	OR .	ON	2005/12/13 10:18
S14 8	11	(235/487.ccls. and ((overlay\$3 overlaminate (over adj (lay\$3 laminate)) registration above align\$4 superpos\$3 superimpos\$3) with (indicia content code barcode indicium symbol\$3 text character dataform symbolog\$4))) and @pd>"20051024"	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13 10:20
S14 9	1	("6759369").PN.	US-PGPUB ; USPAT	OR	OFF	2005/12/13 14:20
S15 0	1	("6494491").PN.	US-PGPUB ; USPAT	OR	OFF	2005/12/13 14:33
S15 1	173	283/107.ccls. not (235/491.ccls. 400/120.02.ccls. 347/212.ccls. 283/91.ccls. 283/74.ccls. 235/462.01.ccls. 235/468.ccls. 235/494.ccls.)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13 15:41
S15 2	290	283/109.ccls. not (283/107.ccls. 235/491.ccls. 400/120.02.ccls. 347/212.ccls. 283/91.ccls. 283/74.ccls. 235/462.01.ccls. 235/468.ccls. 235/494.ccls.)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13 16:44

S15 3	631	427/265.ccls. not (283/109.ccls. 283/107.ccls. 235/491.ccls. 400/120.02.ccls. 347/212.ccls. 283/91.ccls. 283/74.ccls. 235/462.01.ccls. 235/468.ccls. 235/494.ccls.)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13 17:23
S15 4	1557	503/227.ccls. not (427/265.ccls. 283/109.ccls. 283/107.ccls. 235/491.ccls. 400/120.02.ccls. 347/212.ccls. 283/91.ccls. 283/74.ccls. 235/462.01.ccls. 235/468.ccls. 235/494.ccls.)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13 17:24
S15 5	200	(503/227.ccls. and ((overlay\$3 overlaminate (over adj (lay\$3 laminate)) registration above align\$4 superpos\$3 superimpos\$3) with (indicia content code barcode indicium symbol\$3 text character dataform symbolog\$4))) not (427/265.ccls. 283/109.ccls. 283/107.ccls. 235/491.ccls. 400/120.02.ccls. 347/212.ccls. 283/91.ccls. 283/74.ccls. 235/462.01.ccls. 235/468.ccls. 235/494.ccls.)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13
S15	2	(("6066594") or ("6923378")). PN.	US-PGPUB ; USPAT	OR	OFF	2005/12/13 17:56
S15 7	1	("6267052".pn. "5575507".pn. "4507346".pn.) and (barcode (bar adj code) code readable scan\$4)	US-PGPUB ; USPAT; USOCR	OR	ON	2005/12/13 17:58